Application No.: NEW Docket No.: 0216-0524PUS1

## **AMENDMENTS TO THE CLAIMS**

- 1. (Original) A method for producing a dialkyl carbonate and a diol, comprising:
- (a) effecting a transesterification reaction between a cyclic carbonate and an aliphatic monohydric alcohol in the presence of a transesterification catalyst, thereby obtaining a reaction mixture containing a product dialkyl carbonate and a product diol,
- (b) withdrawing a dialkyl carbonate-containing liquid from said reaction mixture, followed by separation of the dialkyl carbonate from the dialkyl carbonate-containing liquid, and
- (c) withdrawing a diol-containing liquid from said reaction mixture, followed by separation of the diol from the diol-containing liquid,

said steps (b) and (c) being performed in either order or simultaneously, wherein:

said cyclic carbonate contains a cyclic ether represented by the formula (1) below in an amount of from 0.1 to 3,000 ppm by weight, and

said product dialkyl carbonate contains a carbonate ether represented by the formula (2) below in an amount of not more than 10,000 ppm by weight,



wherein  $R^1$  represents a divalent group represented by the formula:  $-(CH_2)_m$ wherein m is an integer of from 2 to 6, and at least one hydrogen atom of  $R^1$  is

Application No.: NEW Docket No.: 0216-0524PUS1

optionally replaced by at least one substituent group selected from the group consisting of a  $C_{1-10}$  alkyl group and a  $C_{6-10}$  aryl group, and

## $R^2OR^1OCOOR^2$ (2)

wherein  $R^1$  is as defined above for formula (1),  $R^2$  represents a  $C_{1-12}$  monovalent aliphatic group, and at least one hydrogen atom of  $R^2$  is optionally replaced by at least one substituent group selected from the group consisting of a  $C_{1-10}$  alkyl group and a  $C_{6-10}$  aryl group.

- 2. (Original) The method according to claim 1, wherein the amount of said cyclic ether in said cyclic carbonate is from 3 to 1,500 ppm by weight.
- 3. (Original) The method according to claim 2, wherein the amount of said cyclic ether in said cyclic carbonate is from 10 to 1,000 ppm by weight.
- 4. (Currently amended) The method according to any one of claims 1 to 3 claim 1, wherein said cyclic carbonate is ethylene carbonate.
- 5. (Original) The method according to any one of claims 1 to 4, wherein said transesterification reaction is performed in a reactive distillation column.

4 GMM/smt

Application No.: NEW Docket No.: 0216-0524PUS1

6. (Currently amended) A dialkyl carbonate produced by the method of any one of claims 1 to 5 claim 1, which contains a carbonate ether represented by the formula (2) of claim 1 in an amount of from 1 to 10,000 ppm by weight.

- 7. (Original) The dialkyl carbonate according to claim 6, wherein the amount of said carbonate ether in the dialkyl carbonate is from 3 to 5,000 ppm by weight.
- 8. (Original) The dialkyl carbonate according to claim 7, wherein the amount of said carbonate ether in the dialkyl carbonate is from 10 to 3,000 ppm by weight.

5 GMM/smt